



ALVOLTA DUO POWER & USB C+C SURFACE MOUNT SOCKET

ALV-BPCCSS, ALV-WPCCSS

Key Features:



QuickCharge Fast
Charging



Suits 12-24V Systems



Compatible with
Standard Smart Phones



Pre-Wired for
Installation



Multiple Charging Ports

Suitable for:



3 YEAR
WARRANTY


ALVOLTA DUO POWER & USB C+C SURFACE MOUNT SOCKET

ALV-BPCCSS, ALV-WPCCSS

Specifications:

Model	ALV-BPCCSS	ALV-WPCCSS
Colour	Black	White
Input Voltage	12 / 24V	
Combined USB Output	120W	
USB-C 1 Output	5V / 3A, 9V / 3A, 12V / 3A, 15V / 3A, 20V / 5A	
USB-C 2 Output	5V / 3A, 9V / 2.22A, 12V / 1.67A	
USB Impedance	< 100mΩ	
Power Plug Current Rating	1500mA	
Power Plug Output	120 - 240W	
Included Cables	2x UL 1015 cable, 4mm ² diameter, 100mm length	
Mounting Type	Surface Mount	
Mounting Hole Size	4mm	
Housing Material	PA6 (Polyamide/Nylon 6)	
Ingress Protection	IP65	
Operating Temperature Range	-25°C - +85°C	
Colour	Black	
Dimensions (w x h x d)	98.7 x 49 x 79mm	
Warranty	3 Years	

Model Dimensions:




ALVOLTA DUO POWER & USB C+C SURFACE MOUNT SOCKET


ALV-BPCCSS, ALV-WPCCSS

Model Dimensions:

USB Module



Power Plug Module



*All data and specifications provided in this datasheet are tested under standard test conditions, and may deviate marginally from actual values. Alvolta and its associates reserve the right to make modifications to the provided information without notice. Alvolta maintains the goal to supply customers with the most recent information regarding its products.